Subsection 2.-Infantile and Maternal Mortality.

In recent years a great part of the energy devoted by the medical profession and sanitarians to effect a decline in the death rate has gone to reduce infantile mortality, and in this field a large measure of success has been attained. In Canada, the Dominion, provincial, and municipal health authorities have all taken part in the struggle to reduce infantile mortality, and usually, in the absence of epidemics, each year is showing an improvement. In the seventeen years for which the figures are available there is evident a very considerable decline in infantile mortality, although the rate for 1937 shows an increase over 1936. In 1921 the infant death rate for Canada (using figures from provincial sources for Quebec) was 102 per 1,000 live births. This rate had been reduced to 76 in 1937. Table 23 gives figures for the whole of Canada for the years 1931 to 1937 and averages for the five-year periods 1921-25, 1926-30, and 1931-35. The infantile mortality in Quebec, which has exceeded that of any other province in the past, was below that of New Brunswick in 1937. A study of the Quebec rates shows that steady improvement has been made in the eleven-year period during which the province has been included in the registration area. In Canada as a whole almost 7,000 infant lives were preserved in 1937 which, under conditions prevailing in 1926, would probably have been lost.

23.—Infantile Mortality, by Provinces, together with the Rates per 1,600 Live Births, 1931-37, with Averages for 1921-25, 1926-30, and 1931-35.

Year.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C	Canada.
	,		A.—INI	FANT I	DEATH	18.				
Averages, 1921-25. Averages, 1926-30. Averages, 1926-30. By 1931. By 20. By 20.	151 122 131 128 132 132 130 145 137 152 INFAN	1, 139 934 840 914 849 791 807 838 781 812	1, 165 1, 039 857 944 774 821 878 866 866 866 1, 072	2 10,518 7,756 9,443 7,744 7,270 7,388 6,939 6,220 7,580 7,580	4,833 4,138 3,804 3,523 3,515 3,416 3,382	1,394 1,031 835 924 836 844 734 837 779 826	1,559 1,261 1,463 1,321 1,231 1,093 1,194 1,030 1,245		621 571 464 514 477 439 426 460 465 630	22.066 17,104 20,366 16,284 15,870 15,730 14,573 14,574 16,693
A verages, 1921-25 A verages, 1926-30 1931	77 71 68 65 61 67 73 69 73	94 855 73 79 73 71 71 72 66 70	105 101 82 87 72 82 86 83 77 101	2 127 98 113 94 95 97 92 83 100	83 74 61 70 62 60 57 56 55 55	84 72 61 64 59 63 63 61 64	83 73 62 63 61 55 61 55 61 54 87	86 75 60 59 59 60 55 58 60 63	61 55 46 49 47 46 43 48 48 44 56	2 93 75 85 73 73 72 71 66 76

¹ Exclusive of the Territories.

Infantile Mortality by Causes of Death.—Twenty-one principal causes of death accounted in the years 1926 to 1937 for between 91 and 92 p.c. of the infantile mortality experienced in the Dominion, as is shown in Table 24. It is noteworthy that four causes present at birth, viz., premature birth, injury at birth, congenital debility, and congenital malformations, accounted for over 40 p.c. of the infant

² Quebec was not included in the registration area prior to 1926.