

18.—Maternal Mortality and Rates per 199,000 Live Births by Cause 1954-56

Inter- national List No.	Cause of Death	Numbers of Deaths			Rates per 100,000 Live Births		
		1954 1	1955 1	1956	1954 1	1955 1	1956
640, 641 642	Infections of the genito-uninary tract during pregnancy. Toxemias of pregnancy.	1 77		1 53	2 18	 21	2 12
643 644	Placenta prævia noted before delivery Other hæmorrhage of pregnancy	2	4	4	2	1 2	1
645	Ectopic programov	11	11	10	3	2	
646-649	Ectopic pregnancy. Other complications of pregnancy	- îi	23	12	3	5	2 3 2
650, 652	Abortion without mention of sepsis	17	13	11	4	3	2
651	Abortion with sepsis	24	15	14	6	3	3
660 670	Delivery without complication Delivery complicated by placenta prævia or	8	4	7	2	1	2
0.0	antepartum hæmorrhage	24	20	26	6	5	6
671	Delivery complicated by retained placenta	8	ĨŘ	8	2	2	2
672	Delivery complicated by other postpartum hæmorrhage	32	32	29	7	7	6
673, 674	Delivery complicated by abnormality of bony	02	02				
675	pelvis or malposition of foetus. Delivery complicated by prolonged labour of	11	7	9	3	2	2
	other origin	6	5	11	1	1	2
676, 677	Delivery with laceration or other trauma.	18	15	21	4	3	5 5 2
678	Delivery with other complications of childbirth.	15	20	21	3	5	5
681 682-684	Sepsis of childbirth and the puerperium Puerperal phlebitis, thrombosis, pyrexia, pul-	8	8	9	2	2	2
	monary embolism	21	29	19	5	7	4
685, 686 687–689	monary embolism Puerperal eclampsia and toxemia Other and unspecified complications of the	6	8	5	1	2	1
	puerperium	6	12	8	1	3	2
	Totals, All Puerperal Causes	312	335	278	72	76	62

¹ Excludes the Yukon and Northwest Territories.

² Less than one per 100,000 live births.