

17.-Maternal Mortality and Rates per 100,000 Live Births, by Cause, 1956-58

Inter- national	Cause of Death	Numbers of Deaths			Rates per 100,000 Live Births		
List No.		1956	1957	1958	1956	1957	1958
640, 641	Complications of Pregnancy Infections of the genito-urinary tract during	80	71	93	18	15	20
642 643	pregnancy Toxæmias of pregnancy Placenta prævia noted before delivery	53 —	$\begin{array}{c} 1\\42\\1\end{array}$	59 3	1 12	9	13 1
644 645 646–649	Other hæmorrhage of pregnancy Ectopic pregnancy Other complications of pregnancy	4 10 12	1 13 13	2 6 22	$\frac{1}{2}$	3 3	1 1 5
650, 652 651	Abortion Abortion without mention of sepsis	25 11 14	39 19 20	34 11 23	6 2 3	8 4 4	7 2 5
660 670	Complications of Delivery  Delivery (without complication)  Delivery complicated by placenta prævia or	132 7	109 —	96 —	<b>29</b> 2		<u>20</u>
671 672	antepartum hæmorrhage  Delivery complicated by retained placenta  Delivery complicated by other postpartum	26 8	30 5	29 6	6 2	6 1	6 1
673, 674	hæmorrhage Delivery complicated by abnormality of bony pelvis or malposition of foetus	29 9	16	24	6	3	5 1
675 676, 677	Delivery complicated by prolonged labour of other origin  Delivery with laceration or other trauma	11 21	9 13	6 15	2 5	2 3	1 3
678	Delivery with accomplications of childbirth.  Complications of the Puerperium.	21 41	29 36	13 40	5	6	3
680 681 682–684	Puerperal urinary infection without other sepsis Sepsis of childbirth and the puerperium Puerperal phlebitis, thrombosis, pyrexia, pul-	9	-8	8		_2	1 2
685, 686 687-689	monary embolism	19 5 8	12 10 6	15 7 9	$egin{array}{c} 4 \ 1 \ 2 \end{array}$	3 2 1	$\begin{smallmatrix} 3\\1\\2\end{smallmatrix}$
	Totals, All Puerperal Causes	278	255	263	62	54	56

Less than one per 100,000 live births.