International List No.		Cause of Death	Numbers of Deaths		Rates per 100,000 Population	
Abbre- viated List	Detailed List	Cause of Death	1958	1959	1958	1959
B29 B30 B31 B32 B33 B34 B35 B36	444-447 480-483 490-493 500-502 540, 541 550-553 560, 561, 570 543, 571, 572	Hypertension without mention of heart Influenza Pneumonia. Bronchitis. Ulcer of stomach and duodenum. Appendicitis. Intestinal obstruction and hernia Gastritis, duodentis, entertis and colitis	1,162 760 5,190 854 856 191 860	1,089 1,271 5,619 883 857 176 881	$ \begin{array}{c} 6.8\\ 4.5\\ 30.4\\ 5.0\\ 5.0\\ 1.1\\ 5.0\\ 0 \end{array} $	6.2 7.3 32.2 5.1 4.9 1.0 5.1
B37 B38 B39	581 590–594 610 640–652, 660.	except diarrhœa of the newborn Cirrhosis of liver Nephritis and nephrosis Hyperplasia of prostate Complications of pregnancy, childbirth and	1,070 965 1,844 554	995 1,015 1,695 556	$\begin{array}{r} 6.3 \\ 5.7 \\ 10.8 \\ 3.2 \end{array}$	5.7 5.8 9.7 3.2
B40 { B41 B42	670-689 750-759 760-762	the puerperium Congenital malformations Birth injuries, postnatal asphyxia and	263 2,830	263 2,767	1.5 16.6	$\begin{array}{c} 1.5\\ 15.9\end{array}$
B43 B44	763-768 769-776	atelectasis Infections of the newborn Other diseases peculiar to early infancy	2,931 710	2,936 623	17.2 4.2	16.8 3.6
B45	780795	and immaturity (unqualified) Senility without mention of psychosis, ill-	3,923	3,894	23.0	22.3
B46 BE47	Residual E810-E835	defined and unknown causes All other diseases Motor vehicle accidents	$1,526 \\ 10,448 \\ 3,517$	$1,536 \\ 11,019 \\ 3,687$	9.0 61.3 20.6	$8.8 \\ 63.2 \\ 21.1$
BE48	E800-E802 E840-E962	All other accidents	5,640	5,752	33.1	33.0
BE49 {	E963, E970- E979	Suicide and self-inflicted injury	1,271	1,287	7.5	7.4
BE50 {	E964, E965 E980–E999	Homicide and operations of war	203	178	1.2	1.0
		Totals, All Causes	135,201	139,913	793.1	802.2

13.—Deaths and Rates per 100,000 Population, according to the International Abbreviated List of 50 Causes, 1958 and 1959—concluded

Subsection 2.-Infant Mortality

Table 1, pp. 204-205, and Table 14 show the striking improvement that has taken place in the rate of infant mortality during the past quarter-century. Although 84,507 of the 2,748,360 children born in the years 1954-59 died before reaching their first birthday, 173,839 others lived who would have died at the rate prevailing in the period 1926-30.

Table 14 shows that mortality among male infants is 25 to 30 p.c. higher than that among female infants for Canada as a whole, with wider variations for the individual provinces. For the country as a whole in 1959, out of every 1,000 infant boys born alive, 32 died before reaching their first birthday, whereas out of every 1,000 infant girls 25 died within one year of their birth. As already pointed out, there are on the average 1,057 males born to every 1,000 females, but because male infant mortality is higher the excess of males is reduced greatly by the end of the first year. For example, in 1957-59 there were 728,821 male children born compared with 689,665 female children, an excess of 39,156 or 5.7 p.c.; during the same period, 24,292 male children died during their first year compared with 17,998 female children so that the excess of males at one year of age was reduced to 32,862 or under 5 p.c.