

**16.—Diagnoses of Patients on the Books of Reporting Tuberculosis Hospitals, by Age Group and Sex, as at Dec. 31, 1961**

NOTE.—Figures include patients in 66 tuberculosis hospitals and patients in tuberculosis units in general hospitals but exclude tubercular patients in mental hospitals.

Diagnosis	Age Group					Total <sup>1</sup>	
	0-14	15-19	20-39	40-59	60 +		
NUMBERS							
Respiratory tuberculosis.....	M.	336	126	788	1,116	1,003	3,379
	F.	346	143	688	475	353	2,008
With occupational disease of lung.....	M.	1	—	—	30	31	62
	F.	—	—	—	—	1	1
Minimal pulmonary.....	M.	28	34	146	144	107	462
	F.	54	46	176	94	49	420
Moderately advanced pulmonary.....	M.	18	51	307	425	380	1,183
	F.	22	59	281	191	158	711
Far advanced pulmonary.....	M.	7	24	304	492	456	1,288
	F.	9	20	205	185	140	561
Other and unspecified pulmonary.....	M.	10	5	6	6	12	39
	F.	16	2	6	1	1	26
Pleurisy with or without effusion.....	M.	14	7	24	19	15	79
	F.	8	7	16	4	4	39
Primary infection.....	M.	251	4	—	—	1	256
	F.	219	8	2	—	—	229
Other.....	M.	7	1	1	—	1	10
	F.	18	1	2	—	—	21
Tuberculosis, other forms.....	M.	48	19	80	58	39	244
	F.	56	24	60	39	22	202
RATES PER 100,000 POPULATION							
Respiratory tuberculosis.....	M.	10.5	17.1	31.4	58.8	103.7	36.4
	F.	11.3	19.9	27.6	25.8	34.1	22.0
With occupational disease of lung.....	M.	—	—	—	1.6	3.2	0.7
	F.	—	—	—	—	0.1	—
Minimal pulmonary.....	M.	0.9	4.6	5.8	7.6	11.1	5.0
	F.	1.8	6.4	7.1	5.1	4.7	4.6
Moderately advanced pulmonary.....	M.	0.6	6.9	12.2	22.4	39.3	12.7
	F.	0.7	8.2	11.3	10.4	15.3	7.8
Far advanced pulmonary.....	M.	0.2	3.3	12.1	25.9	47.1	13.9
	F.	0.3	2.8	8.2	10.0	13.5	6.1
Other and unspecified pulmonary.....	M.	0.3	0.7	0.2	0.3	1.2	0.4
	F.	0.5	0.3	0.2	0.1	0.1	0.3
Pleurisy with or without effusion.....	M.	0.4	0.9	1.0	1.0	1.6	0.9
	F.	0.3	1.0	0.6	0.2	0.4	0.4
Primary infection.....	M.	7.9	0.5	—	—	0.1	2.8
	F.	7.2	1.1	0.1	—	—	2.5
Other.....	M.	0.2	0.1	—	—	0.1	0.1
	F.	0.6	0.1	0.1	—	—	0.2
Tuberculosis, other forms.....	M.	1.5	2.6	3.2	3.1	4.0	2.6
	F.	1.8	3.3	2.4	2.1	2.1	2.2

<sup>1</sup> Includes ages not known.

**Subsection 2.—Notifiable Diseases and Other Health Statistics\***

In addition to the administrative, or non-morbidity, type of hospital statistics dealt with on pp. 276-287, health statistics collected nationally include series on notifiable diseases and illness among federal civil servants; these are dealt with briefly below.

**Notifiable Diseases.**—In terms of number of new cases, the major infectious diseases reportable on a national basis were, in 1961, the venereal diseases, scarlet fever and streptococcal sore throat, and infectious and serum hepatitis.

Higher incidence of the reportable venereal diseases (combined) occurred in the Yukon and the Northwest Territories and in all provinces except Newfoundland, Nova Scotia

\* Prepared in the Public Health Section, Health and Welfare Division, Dominion Bureau of Statistics.