

18.—Reported Cases of Selected Notifiable Diseases and Rates per 100,000 Population, by Province, 1961

Inter-national List No.	Disease	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
NUMBER OF CASES													
044	Brucellosis (undulant fever)	—	—	—	—	61	9	29	6	2	2	—	..
764	Diarrhoea of the newborn, epidemic	—	1	33	—	—	1	12	1	—	35	—	..
055	Diphtheria	1	—	—	—	45	2	16	9	19	1	—	..
045, 046, 048	Dysentery ²	4	16	1,042	4	152	443	347	56	177	808	4	..
046	Amoebic	—	—	1	—	—	6	—	3	—	2	—	..
045	Bacillary	—	16	48	4	152	437	343	53	115	307	4	..
082.0	Encephalitis, infectious	—	1	—	—	—	1	—	—	1	—	—	..
049.0, 042.1, 049.2	Food poisoning	13	—	149	5	432	1	41	36	87	524	1	..
092, N998.5	Hepatitis, infectious (including serum hepatitis)	618	141	1,821	181	1,544	3,009	1,470	849	1,006	1,677	65	..
080.2, 082.1	Meningitis, viral or aseptic	24	1	27	16	145	1	8	8	82	100	1	..
057	Meningococcal infections	7	1	6	2	16	50	6	16	1	15	—	..
766	Pemphigus neonatorum (impetigo of the newborn)	—	1	—	—	—	1	1	—	—	12	—	..
056	Pertussis (whooping cough)	362	264	311	12	2,117	1,829	9	47	315	212	—	..
080.0, 080.1	Poliomyelitis, paralytic	9	—	1	1	115	23	—	7	26	7	—	..
050, 051	Scarlet fever and streptococcal sore throat	196	1,349	1,597	55	866	3,073	144	1,737	1,673	2,068	2	..
040, 041	Typhoid and paratyphoid fever	8	—	11	4	159	25	2	10	19	28	—	..
020-039	Veneral diseases ²	283	33	379	310	3,447	3,276	2,249	1,724	2,853	3,880	200	143
030-035	Gonorrhoea	276	30	349	286	2,745	2,361	2,178	1,528	2,712	3,666	194	138
020-029	Syphilis	7	3	30	24	702	914	71	125	140	214	6	5
RATES PER 100,000 POPULATION													
044	Brucellosis (undulant fever)	—	—	—	—	1.2	0.1	3.1	0.6	0.2	0.1	—	..
764	Diarrhoea of the newborn, epidemic	—	1.0	4.5	—	—	1	1.3	1	—	2.1	—	..
055	Diphtheria	0.2	—	—	—	0.9	3	1.7	1.0	1.4	0.1	—	..
045, 046, 048	Dysentery ²	0.9	15.2	141.4	0.7	2.9	7.1	37.6	6.1	13.3	49.6	26.7	..
046	Amoebic	—	—	0.1	—	—	0.1	—	0.3	—	0.1	—	..
045	Bacillary	—	15.2	6.5	0.7	2.9	7.0	37.2	5.7	8.6	18.8	26.7	..
082.0	Encephalitis, infectious	—	1	—	—	—	1	—	—	0.1	—	—	..
049.0, 042.1, 049.2	Food poisoning	2.8	—	20.2	0.8	8.2	1	4.4	3.9	6.5	32.2	6.7	..
092, N998.5	Hepatitis, infectious (including serum hepatitis)	134.9	134.3	247.1	30.3	29.4	48.3	159.4	91.8	75.5	102.9	433.3	..
080.2, 082.1	Meningitis, viral or aseptic	5.2	1	3.7	2.7	2.8	1	0.9	0.9	6.2	6.1	6.7	..
057	Meningococcal infections	1.5	1.0	0.8	0.3	0.3	0.8	0.7	1.7	0.1	0.9	—	..
766	Pemphigus neonatorum (impetigo of the newborn)	—	1	—	—	—	1	0.1	—	—	0.7	—	..
056	Pertussis (whooping cough)	79.0	251.4	42.2	2.0	40.3	29.3	1.0	5.1	23.6	13.0	—	..
080.0, 080.1	Poliomyelitis, paralytic	2.0	—	0.1	0.2	2.2	0.4	—	0.8	2.0	0.4	—	..
050, 051	Scarlet fever and streptococcal sore throat	42.8	1,284.8	216.7	9.2	16.5	49.4	15.6	137.8	125.6	126.9	13.3	..
040, 041	Typhoid and paratyphoid fever	1.7	—	1.5	0.7	3.0	0.4	0.2	1.1	1.4	1.7	—	..
020-039	Veneral diseases ²	61.8	31.4	51.4	51.8	65.5	52.5	243.9	186.4	214.2	238.2	1,333.3	621.7
030-035	Gonorrhoea	60.3	28.6	47.4	47.6	52.2	37.9	236.2	165.2	203.6	225.0	1,293.3	600.0
020-029	Syphilis	1.5	2.9	4.1	4.0	13.3	14.7	7.7	21.1	10.5	13.1	40.0	21.7

¹ Not reportable. 100,000 population.

² Includes other cases and cases where type not specified.

³ Less than 0.05 per

Illness in the Federal Civil Service.—A study of the incidence and duration of illness among federal civil servants is made annually from data supplied by medical certificates, which are required for all absences of more than three days at one time and for absence of any duration after seven days of casual leave have been taken. During the calendar year 1961, of an estimated 145,300 civil servants covered by Civil Service Leave Regulations,