
Causes of Death.—Table 18 summarizes the most recent figures for deaths and death rates in Canada grouped according to the International Abbreviated List of 50 Causes. Over 80 p.c. of the deaths are caused by diseases of the heart and arteries, cancer, accidents, diseases of early infancy, the respiratory diseases, and nephritis. Because of the rise in the average age at death during the past thirty years, the proportion of deaths from causes that affect older people has increased. Cancer and diseases of the cardiovascular-renal systems now account for a larger proportion of all deaths. By the same token, deaths from causes that mainly affect children and young adults have declined.



18.—Deaths and Rates per 100,000 Population, according to the International Abbreviated List of 50 Causes, 1963 and 1964

International List No.			Numbers of Deaths		Rates per 100,000 Population	
Abbre- viated List	Detailed List	Cause of Death	1963	1964	1963	1964
B 1 B 2 B 3 B 4 B 5 B 6 B 7 B 8 B 10 B 11 B 11 B 12 B 13	001-008 010-019 020-029 040 045-048 045-048 050, 051 055 056 057 058	Tuberculosis of respiratory system. Tuberculosis, other forms. Syphilis and its sequelæ. Typhoid fever. Cholera. Dysentery, all forms. Scarlet fever and streptococcal sore throat. Diphtheria. Whooping cough. Meningococcal infections. Plague. Acute poliomyelitis.	674 82 117 1 - 5 5 7 28 37 - 16	598 72 91 2 — 15 9 5 26 38 — 5	3.6 0.4 0.6 0.1 0.2 0.1	3.1 0.4 0.5 0.1 0.1 0.2
Bi4	084 085	Smallpox. Measles.	73	58	0.4	0.3