

5.24 Reported cases of selected notifiable diseases and rate per 100,000 population, by province, 1974 (concluded)

International List No.	Disease	Nfld.	PEI	NS	NB	Que.	Ont.	Man.	Sask.	Alta.	BC	YT	NWT	Canada	
		<i>Rate per 100,000 population</i>													
009.1	Diarrhoea of the newborn, epidemic	—	9.4	0.1	—	1.1	1	0.1	—	0.4	—	—	2.7	0.6	
032	Diphtheria	1.3	—	—	—	0.2	0.2	1.5	0.1	2.7	2.9	—	5.3	0.8	
004	Dysentery, bacillary	37.1	4.3	0.2	8.8	3.2	6.0	64.1	8.0	22.5	8.5	—	258.7	10.5	
062.1	Encephalitis, western equine	—	1	—	—	—	1	—	—	—	—	—	—	—	
	Food poisoning, bacterial	0.6	0.9	2.6	0.2	5.5	—	0.3	0.7	0.4	0.1	—	8.0	1.7	
005.0	Staphylococcal	—	0.9	2.6	0.2	5.4	1	0.3	0.7	0.4	—	—	—	2.6	
005.1	Botulism	0.6	—	—	—	—	—	—	—	—	0.1	—	8.0	—	
	Hepatitis, infectious (including serum hepatitis)	4.2	90.8	7.6	4.1	5.3	11.0	79.7	50.6	58.1	58.1	139.2	1,688.0	25.6	
070	Hepatitis, infectious	4.1	90.8	6.4	3.8	4.3	9.6	73.4	48.8	55.2	57.7	123.7	1,680.0	24.1	
999.2	Hepatitis, serum	0.2	1	1.2	0.3	1.0	1.4	6.3	1.8	2.9	0.5	15.5	8.0	1.5	
055	Measles	9.8	1	136.1	15.0	15.0	53.5	22.0	122.1	200.9	23.9	72.2	304.0	53.7	
	Meningitis, aseptic, due to enteroviruses	1.5	10.3	—	0.3	0.9	1	2.2	0.8	0.5	0.5	—	8.0	0.9	
045.0	Coxsackie virus	—	6.0	—	—	0.4	1	0.2	0.1	—	—	—	—	0.2	
045.1	ECHO virus	—	—	—	—	0.1	1	0.2	0.1	—	—	—	—	—	
045.9	Not specified	1.5	4.3	—	0.3	0.4	1	1.8	0.6	0.5	0.5	—	8.0	0.6	
036	Meningococcal infections	7.9	2.6	1.2	1.4	0.9	1.6	1.7	3.6	0.8	1.8	5.2	21.3	1.6	
056	Rubella (German measles)	32.4	1	83.6	5.0	35.5	32.1	53.1	13.0	58.4	14.3	82.5	138.7	34.6	
	Salmonella infections, other	28.4	18.0	12.5	3.6	24.2	13.7	9.6	30.7	17.9	12.6	30.9	74.7	17.4	
003.0	With food as vehicle	—	7.7	3.8	0.2	10.4	1	0.3	0.1	1.5	—	—	—	4.9	
003.9	Without mention of food as vehicle	28.4	10.3	8.7	3.5	13.7	13.7	9.3	30.5	16.5	12.6	30.9	74.7	14.3	
034	Streptococcal sore throat and scarlet fever	9.8	4,816.6	241.8	10.6	11.4	42.6	99.2	58.3	297.8	32.9	407.2	2,432.0	90.3	
010,011,															
012-019	Tuberculosis	26.7	11.1	10.7	12.8	15.2	12.1	25.8	16.3	14.5	16.5	30.9	138.7	14.9	
	Typhoid and paratyphoid fever	1.7	—	0.2	1.2	0.9	1.1	0.4	0.8	0.2	0.3	—	2.7	0.8	
001	Typhoid	—	—	—	0.8	0.6	0.8	0.1	0.8	0.2	0.1	—	2.7	0.5	
002	Paratyphoid	1.7	—	0.2	0.5	0.3	0.3	0.3	—	—	0.1	—	—	0.3	
	Veneral diseases	107.8	53.1	155.8	62.1	66.0	219.7	372.0	383.5	475.9 ²	402.2 ^{2P}	1,551.5	5,317.3	229.3	
098	Gonococcal infections	106.0	47.1	144.9	59.8	55.1	192.9	353.8	371.6	468.9	384.4	1,541.2	5,306.7	212.4	
090-097	Syphilis	1.8	6.0	10.9	2.3	10.8	26.7	18.2	11.1	7.1	17.6	10.3	10.7	16.8	
099.0,099.1,															
099.2	Other	—	1	—	—	—	0.1	—	0.8	—	0.2	—	—	0.1	
033	Whooping cough	11.4	39.4	14.4	1.5	5.4	9.9	2.0	6.8	3.7	2.8	—	8.0	7.0	

¹Not reportable.²Excludes 15 cases of syphilis, type undetermined.**Sources**

5.1 Health Economics and Statistics, Health Programs Branch, Department of National Health and Welfare.

5.2 Public Finance Division, Institutional and Public Finance Statistics Branch, Statistics Canada.

5.3 - 5.24 Health Division, Institutional and Public Finance Statistics Branch, Statistics Canada.