

## 8.—Reported Cases of Selected Notifiable Diseases and Rates per 100,000 Population 1926-55

Year	Diphtheria	Poliomyelitis (All Types)	Smallpox	Tuberculosis (All Types)	Typhoid and Paratyphoid Fever
NUMBERS OF CASES					
Av. 1926-30 .....	8,301	661	2,189	5,743	3,270
Av. 1931-35 .....	3,294	687 <sup>r</sup>	273	8,287	2,410
Av. 1936-40 .....	2,777	1,202	90	9,322	1,760
Av. 1941-45 .....	2,927 <sup>r</sup>	800	9	12,926	1,195
Av. 1946-50 .....	1,242	1,871	—	13,378	732
1946.....	2,535	2,527	2	15,263	921
1947.....	1,550	2,291	—	13,739	697
1948.....	898	1,168	—	12,363	565
1949.....	806	2,458	—	13,097	761
1950.....	421	911	—	12,429	718
1951.....	253	2,568	—	11,152	559
1952.....	190	4,755	—	10,506	509
1953.....	132	8,878	—	10,572	457
1954.....	208	2,390	—	10,474	469
1955.....	139	1,020	—	10,177	380
RATES PER 100,000 POPULATION <sup>1</sup>					
Av. 1926-30 .....	84.5	6.7	22.3	58.5	33.3
Av. 1931-35 .....	31.1	6.5	2.6	78.1	22.7
Av. 1936-40 .....	24.9	10.8	0.8	83.7	15.8
Av. 1941-45 .....	24.9	6.8	0.1	109.7	10.1
Av. 1946-50 .....	9.8	14.6	—	103.8	5.7
1946.....	20.7	20.6	—	124.4	7.5
1947.....	12.4	18.3	—	109.7	5.6
1948.....	7.0	9.1	—	96.6	4.4
1949.....	6.0	18.3	—	97.6	5.7
1950.....	3.1	6.7	—	90.8	5.2
1951.....	1.8	18.4	—	79.7	4.0
1952.....	1.3	33.0	—	72.9	3.5
1953.....	0.9	60.2	—	71.6	3.1
1954.....	1.4	15.8	—	69.1	3.1
1955.....	0.9	6.5	—	65.4	2.4

<sup>1</sup> Based on official estimates of population.<sup>2</sup> Less than 0.1 per 100,000 population.